

# SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Trade name**

PT Proff Oil Natural and colour

**Product no.**

4

**REACH registration number**

Not applicable

**Other means of identification**

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses of the substance or mixture**

Woodoil

The full text of any mentioned and identified use categories are given in section 16

### 1.3. Details of the supplier of the safety data sheet

**Company and address**

NOWOCOAT INDUSTRIAL A/S

Gl. Donsvej 6

6000 Kolding

tlf: +45 75 50 11 11

mail@nowocoat.dk

**Contact person**

Joen Reinert

**E-mail**

joen@nowocoat.dk

**SDS date**

12-03-2013

**SDS Version**

1.0

### 1.4. Emergency telephone number

Use your national or local emergency number

See section 4 "First aid measures"

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

This product is not classified as dangerous.

See full text of H/R-phrases in section 2.2.

### 2.2. Label elements

**Hazard pictogram(s)**

-

**Hazard statement(s)**

-

**Identity of the substances primarily responsible for the major health hazards**

<b>Safety statement(s)</b>	General	-
	Prevention	-
	Response	-
	Storage	-
	Disposal	-

### 2.3. Other hazards

**Additional labelling**

Safety data sheet available on request.

**Additional warnings**

**VOC**

VOC-MAX: 15 g/l, MAXIMUM VOC CONTENT (Phase II, f (SB)): 700 g/l.

**SECTION 3: Composition/information on ingredients**

**3.1/3.2. Substances**

NAME: Alkanes, C11-15-iso-  
IDENTIFICATION NOS.: CAS-no: 90622-58-5 EC-no: 292-460-6  
CONTENT: 1-5%  
DSD CLASSIFICATION: Xn;R65 R66  
CLP CLASSIFICATION: Asp. Tox. 1  
H304, EUH066

NAME: barium bis(2-ethylhexanoate)  
IDENTIFICATION NOS.: CAS-no: 2457-01-4 EC-no: 219-535-8  
CONTENT: <1%  
DSD CLASSIFICATION: -  
CLP CLASSIFICATION: -

NAME: 2-ethylhexansyre, zirconiumsalt  
IDENTIFICATION NOS.: CAS-no: 22464-99-9 EC-no: 245-018-1  
CONTENT: <1%  
DSD CLASSIFICATION: Xi;R38  
CLP CLASSIFICATION: NA

NAME: cobalt bis(2-ethylhexanoate)  
IDENTIFICATION NOS.: CAS-no: 136-52-7 EC-no: 205-250-6  
CONTENT: <1%  
DSD CLASSIFICATION: -  
CLP CLASSIFICATION: NA

(\*) See full text of H/R-phrases in chapter 16. Occupational limits are listed in section 8, if these are available.

**Other informations**

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**General information**

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor, if in doubt about the injured person's condition or if the symptoms continue. Never give an unconscious person water or similar.

**Inhalation**

Get the injured person into fresh air. Make sure there is always someone with the injured person. Prevent shock by keeping the injured person warm and calm. If the person stops breathing, give mouth-to-mouth resuscitation. If unconscious, roll the injured person onto side with the top leg bent at both knee and hip. Call an ambulance.

**Skin contact**

Remove contaminated clothing and shoes at once. Skin that has come in contact with the material must be washed thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

**Eye contact**

Remove contact lenses. Flush eyes immediately with plenty of water (20-30°C) for at least 15 minutes and continue until irritation stops. Make sure you flush under the upper and lower eyelids. If irritation continues, contact a doctor.

**Ingestion**

Give the person plenty to drink and stay with the person. If the person feels unwell, contact a doctor immediately and take this safety data sheet or the label from the product with you. Do not induce vomiting unless recommended by the doctor. Hold head facing down so that no vomit runs back into the mouth and throat.

**Burns**

Rinse with water until the pain stops and continue for 30 minutes.

**4.2. Most important symptoms and effects, both acute and delayed**

No special

**4.3. Indication of any immediate medical attention and special treatment needed**

No special

### Information to medics

Bring this safety data sheet.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Recommended: alcohol-resistant foam, carbonic acid, powder, water mist. Water jets should not be used, since they can spread the fire.

### 5.2. Special hazards arising from the substance or mixture

No special

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

No specific requirements.

### 6.2. Environmental precautions

No specific requirements.

### 6.3. Methods and material for containment and cleaning up

Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations. Cleaning should be done as far as possible using normal cleaning agents. Solvents should be avoided.

### 6.4. Reference to other sections

See section on "Disposal considerations" with regard to the handling of waste. See section on 'Exposure controls/personal protection' for protective measures.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

See section on 'Exposure controls/personal protection' for information on personal protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Always store in containers of the same material as the original.

#### Storage temperature

NA

### 7.3. Specific end use(s)

This product should only be used for applications described in Section 1.2

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### OEL

No data available

#### DNEL / PNEC

DNEL (cobalt bis(2-ethylhexanoate)): 235 µg/m<sup>3</sup> - Exposure: Inhalation - Duration: Long term local - Remarks: Workers

DNEL (cobalt bis(2-ethylhexanoate)): 55,8 µg/kg - Exposure: Oral - Duration: long term systemic - Remarks: General population

DNEL (cobalt bis(2-ethylhexanoate)): 31 µg/m<sup>3</sup> - Exposure: Inhalation - Duration: Long term local - Remarks: General population

PNEC (cobalt bis(2-ethylhexanoate)): 0,51 µg/l - Exposure: Water - Duration: Single - Remarks: Fresh water

PNEC (cobalt bis(2-ethylhexanoate)): 2,36 µg/l - Exposure: Water - Duration: Single - Remarks: Marine water

### 8.2. Exposure controls

No control is necessary if the product is used in a normal way.

#### General recommendations

Smoking, consumption of food or liquid, and storage of tobacco, food or liquid, are not allowed in the workroom.

#### Exposure scenarios

If there is an appendix to this safety data sheet, the indicated exposure scenarios must be complied.

#### Exposure limits

There are no maximum exposure limits for the substances contained in this product.

#### Appropriate technical measures

Take ordinary precautions when using the product. Avoid inhalation of gas or dust.

**Hygiene measures**

Whenever you take a break in using this product and when you have finished using it, all exposed areas of the body must be washed. Always wash hands, forearms and face.

**Measures to avoid environmental exposure**

No specific requirements.

**Individual protection measures, such as personal protective equipment**



**Generally**

Only CE-marked personal protection equipment should be used.

**Respiratory Equipment**

Recommended: A, Class 1 (low capacity), Brown

**Skin protection**

No specific requirements.

**Hand protection**

Recommended: Polyvinyl alcohol (PVA). . Breakthrough time: See the manufacturer's instructions

**Eye protection**

No specific requirements.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

Form	Colour	Odour	pH	Viscosity	Density (g/cm <sup>3</sup> )
Liquid	Various colours	Mild	-	-	0,9

**Phase changes**

Melting point (°C)	Boiling point (°C)	Vapour pressure (mm Hg)
-	-	-

**Data on fire and explosion hazards**

Flashpoint (°C)	Ignition (°C)	Self ignition (°C)
-	-	-
Explosion limits (Vol %)	Oxidizing properties	
-	-	

**Solubility**

Solubility in water	n-octanol/water coefficient
Insoluble	-

**9.2. Other information**

Solubility in fat	Additional information
-	N/A

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

No data available

**10.2. Chemical stability**

The product is stable under the conditions, noted in the section on "Handling and storage".

**10.3. Possibility of hazardous reactions**

No special

**10.4. Conditions to avoid**

Do not expose to heat (e.g. sunlight), because it can lead to excess pressure.

**10.5. Incompatible materials**

Strong acids, strong bases, strong oxidising agents, and strong catabolic agents.

**10.6. Hazardous decomposition products**

The product is not degraded when used as specified in section 1.

**SECTION 11: Toxicological information**

**11.1. Information on toxicological effects**

**Acute toxicity**

Substance	Species	Test	Route of exposure	Result
Alkanes, C11-15-iso-	Rat	LD50	Oral	>5000 mg/kg
Alkanes, C11-15-iso-	Rabbit	LD50	Dermal	>3160 mg/kg
Alkanes, C11-15-iso-	Rat	LC50	Inhalation	>715 ppm
cobalt bis(2-ethylhexanoate)	Rat	LD50	Oral	3129 mg/kg
cobalt bis(2-ethylhexanoate)	Rat	LD50	Dermal	>2000 mg/kg

**Long term effects**

No special

**SECTION 12: Ecological information**

**12.1. Toxicity**

Substance	Species	Test	Test duration	Result
Alkanes, C11-15-iso-	Fish	LC50	96 h	2890 mg/l
Alkanes, C11-15-iso-	Daphnia	EC50	48 h	<100 mg/l
cobalt bis(2-ethylhexanoate)	Fish	LC50	96 h	275 mg/l
cobalt bis(2-ethylhexanoate)	Daphnia	EC50	28 d	120 µg/l

**12.2. Persistence and degradability**

Substance	Biodegradability	Test	Result
Alkanes, C11-15-iso-	Yes	No data available	No data available
cobalt bis(2-ethylhexanoate)		CO2 Evolution Test	60

**12.3. Bioaccumulative potential**

Substance	Potential bioaccumulation	LogPow	BFC
Alkanes, C11-15-iso-	No	No data available	No data available
cobalt bis(2-ethylhexanoate)	No		No data available

**12.4. Mobility in soil**

No data available

**12.5. Results of PBT and vPvB assessment**

No data available

**12.6. Other adverse effects**

This product contains substances which can cause undesirable long-term effects in the water environment, due to its poor biodegradability.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

This product is not covered by the regulations on dangerous waste.

**Waste**

EWC code

-

**Specific labelling**

-

**Contaminated packing**

No specific requirements.

**SECTION 14: Transport information**

Not listed as dangerous goods under ADR and IMDG regulations.

**14.1 – 14.4**

ADR/RID	14.1. UN number	14.2. UN proper shipping name	14.3. Transport hazard class(es)	14.4. Packing group	Notes		
IMDG	UN-no.	Proper Shipping Name	Class	PG*	EmS	MP**	Hazardous constituent

**14.5. Environmental hazards**

-

**14.6. Special precautions for user**

-

#### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No data available

(\*) Packing group

(\*\*) Marine pollutant

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### Restrictions for application

-

##### Demands for specific education

-

##### ▼ Additional information

-

#### 15.2. Chemical safety assessment

No

### SECTION 16: Other information'

#### Sources

EC regulation 1907/2006 (REACH)

Directive 2000/532/EC

EC Regulation 1272/2008 (CLP)

#### Full text of H/R-phrases as mentioned in section 3

R38 - Irritating to skin.

R65 - Harmful: may cause lung damage if swallowed.

R66 - Repeated exposure may cause skin dryness or cracking.

H304 - May be fatal if swallowed and enters airways.

EUH066 - Repeated exposure may cause skin dryness or cracking.

#### The full text of identified uses as mentioned in section 1

#### Other symbols mentioned in section 2

-

#### Other

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

A change (in proportion to the last essential change (first cipher in SDS version)) is marked with a blue triangle.

#### The safety data sheet is validated by

Joen Reinert

#### Date of last essential change (First cipher in SDS version)

22-02-2013

#### Date of last minor change (Last cipher in SDS version)

12-03-2013